The Superintendent, Power and Lighting, Mysore, will not bind himself to accept the lowest or any other tender and is also at liberty to accept or reject any or all the tenders without assigning any reason therefor.

No.	Particulars	Rate
		Rs. a. p.
1	Sand, Fine (per cart load of four paras)	
2	Jelly, ordinary ($\frac{1}{2}$ C.yd. per cart load) not more than $1\frac{1}{2}$"	
3	Burnt bricks (per 1,000)	
4	Burnt stone slabs 18"×9"×6" (each)	
5	Chunam mortar (per cart load of four paras) 1: 2 ratio	
6	Pattani jelly $\frac{1}{4}$" to $\frac{1}{2}$" (granite chips)	

A. C. MUNIRATNA MUDALIAR,
Superintendent.

OFFICE OF THE ASSISTANT REGISTRAR OF CO-OPERATIVE SOCIETIES, MYSORE DIVISION.

Notification No. 80 *C.S., dated* 16*th June* 1936.

It is hereby notified that the name of the Sri Jaganmohan Ranganathaswamy Paraspara Sahaya Sanga, Unlimited, Belakavadi in the Malvalli Taluk, is changed to "Sri Jagan Mohana Ranganathaswamy Paraspara Sahaya Sanga, Limited, Belakavadi, Malvalli Taluk."

B. T. KEMPANNA,
Assistant Registrar.

MYSORE RAILWAYS.

MYSORE DIVISION (OPEN LINES).

Notification dated 4th July 1936.

Notice is hereby given that sealed tenders will be received at the Office of the Senior Executive Engineer on any working day up to 3 P.M. till Monday the 27th July 1936, for completing the New Paint Shop which is under construction in the Central Workshops area at Mysore. Approximate estimates of quantities are given in the accompanying schedule. The quantities are not guaranteed. The building should be completed by the end of February 1937. The portion of the building which has been built already can be seen at the Central Workshops.

2. Detailed estimates, plans, specifications, conditions of works and conditions of schedule agreement may be seen at the Senior Executive Engineer's Office, Mysore Railways, Mysore, on all working days between 10-30 A.M. and 4 -30 P.M. When in doubt, the tenderers should always ask for particulars and details.

3. Tenders should be submitted on printed forms, which should be obtained in ample time from the Senior Executive Engineer's Office on production of a receipt for payment of Rupee one to the Auditor, Mysore Railways, Mysore. Tenders not submitted in printed forms will be rejected.

4. Every tender must be accompanied by an earnest money of Rs. 500 which should be paid to the Auditor, Mysore Railways, Mysore, and the receipt thereof enclosed along with the tender and should be superscribed "tenders for completing the New Paint Shop" in default of which the tender will be rejected. Tenderers who have not done work previously in this Department should produce certificates from authorities regarding their capacity for work and execution.

5. The earnest money of the rejected tenders will be returned as early as possible after the tenders are disposed of and in the case of accepted tender, it will be held as a part security deposit under Clause 4 of the Schedule Agreement referred to in para 8.

6. The final acceptance of any tender will rest with the Agent, Mysore Railways, Mysore, who does not bind himself to accept the lowest or any tender or to assign any reason whatsoever for the rejection of any tender or any portion of a tender.

7. The name of the contractor, whose tender has been accepted, will be posted on the Notice Board in the Senior Executive Engineer's Office. No enquiries regarding the acceptance or rejection of tender will be answered.

8. Within eight days of the acceptance of the tender, the successful tenderer is required to execute the usual Schedule Agreement, in default of which his tender will be cancelled and the earnest money forfeited to Government.

9. Quotations must be given in words as well as in figures and they must be in specific terms of unit shown against each item of work. Any quotation quoted at so much per cent more or less than the estimated rates, will not be accepted.

10. Rates once tendered cannot be enhanced on any account. Rates for non-tendered items shall be as per average Schedule of rates of the Railway Department or those fixed by the Senior Executive Engineer after working out data with 10 per cent for contractor's profit.

11. The whole of the work specified in the Agreement should be completed as specified in Para 1 above. Failing which or failing to carry out any of the conditions in the agreement, the whole of the money held in deposit, or so much of it as the Agent, Mysore Railways considers proper, will, without prejudice to any other legal or equitable right or remedy which the Agent may have, be absolutely forfeited to the Agent, Mysore Railways, Mysore.

12. Should any dispute arise in the interpretation of the Clauses of the tender or in respect of any item of work or specification, the decision of the Superintendent, Way and Works, Mysore Railways, Mysore, shall be final.

13. The accepted tenderer must make his own arrangements in advance for payment of royalties, etc., in case he quarries stone, earth, kunkar, sand, etc., from Railway, Government or Forest land for use on this work as this Department will not concern itself regarding the payment, recovery, etc.

14. Works should be executed in general as per Marryat's Specifications.

15. It should be noted that the quantities noted in the schedule for doors, windows and ventilators are for inside dimensions only.

16. Contractors should make their own arrangements for the supply of water.

Sl. No.	Description of work	Unit	Quantity
1	Earthwork, lowering the ground to formation level, and excavating foundations in all soils, including hard rock, if any, conveying the spoils to places shown by the Department up to a maximum lead of 2,000 feet and spreading it evenly as per levels fixed by the Department ..	1,000 C.ft.	48,000 C.ft.
2	Concrete broken stone in sand mortar	100 ,,	4,200 ,,
3	Coursed rubble masonry, in sand mortar, 1st class, including bond stones, dressing corner stones of walls, pilasters, jambs of doorways, windows, ventilators, etc., and charges of double scaffolding	100 ,,	13,000 ,,
	N.B.—No holes to be left in walls for scaffolding		
3a	Do for constructing examining pits ..	100 ,,	3,600 ,,
4	Cement concrete bond, bearing cornice and coping slabs, etc., including lead, lift, necessary moulds for laying concrete, and half-an-inch thick cement plastering (fixing stone chips so that the concrete blocks may appear just like stone masonry) of all exposed protions, proportion of concrete: 1 cement, 3 sand, and 6 brocken stone jelly to be screened through a specially made screen of $\frac{3}{4}''$ meshes. Cement will be supplied by the Department	100 ,,	4,300 ,,
5	Burnt brick in sand mortar	100 ,,	400 ,,
6	Conveying, notching, hoisting and fixing in position Teakwood scantlings including two coats of wood-oiling ..	,,	530 ,,
7	Roofing with pucca terrace	100 S.ft.	5,600 S.ft.
8	Supplying and fixing Teakwood battened shutters $1\frac{1}{2}''$ thick to doors including parliamentary hinges, tower bolts, brass hasps and staples, etc., as per specifications	,,	400 ,,
9	Supplying and fixing Teakwood glazed shutters to windows including hinges, tower bolts, etc., complete, as per specification	,,	1,008 ,,
10	Supplying and fixing Teakwood glazed shutters to ventilators as per specifications	,,	400 ,,
11	Supplying and fixing teakwood circular ventilators as per specifications	,,	154 ,,

Sl. No.	Description of work	Unit	Quantity
12	Flooring with ½″ thick cement plastering over 6″ thick cement concrete bed including forming drains and fixing of rag bolts and clips. Proportion of concrete :— 1 cement, 3 sand and 6 stone jelly to be screened through a specially made screen of ¾″ meshes. Cement will be supplied by the Department. Only river sand should be used. R.M.C. Certificates will be given for bringing sand by Rail from Nanjangud Town ..	100 S.ft.	24,200 S.ft.
13	Chunam pointing	100 ,,	20,000 ,,
14	Chunam plastering	100 ,,	400
15	Chunam plastering and cement rendering including fixing stone chips so that it may appear just like stone masonry. Cement will be supplied by the Department ..	100 ,,	900 ,,
16	Cement plastering ½″ thick. Cement will be supplied by the Department	100 ,,	1,200 ,,
17	Supplying and fixing in sand mortar 4″ thick burnt stone slabs two lines dressed on top and face and edges rounded off	,,	27 ,,
18	Supplying and fixing in sand mortar 6″ thick burnt stone slabs roughly dressed	,,	83 ,,
19	Silicate painting including scaffolding, labour charges, and tools. Paint and oil will be supplied by the Department	100 ,,	32,400 ,,
20	Unloading steel structural and other materials. Demurrage charges, if any, due to delay on the part of the contractor will be deducted from the contractor's bills ..	Ton	160 Tons

R. N. MIRZA,
Senior Executive Engineer.

OFFICE OF THE EXECUTIVE ENGINEER, MYSORE RAILWAYS, HASSAN DIVISION.

Abstract Notification dated 3rd July 1936.

The attention of the public is invited to the notification, dated 27th June 1936, published in *Mysore Gazette*, dated 2nd July 1936, Part VI, pages 991-992, calling for tenders for the work of collecting and spreading broken stone ballast on Mysore-Arsikere Railway.

The last date of receipt of tender is 27th July 1936 up to 12 NOON.

"The work of collection of metal ballast should be completed in all sections by the end of January 1937. Contractors should specify for each section separately, the depots of collection and the quantity they propose to collect at each depot."

D. V. NARASIMHA RAO,
Ag. *Executive Engineer.*

OFFICE OF THE DEPUTY COMMISSIONER, KADUR DISTRICT.

Notification No. A5-3199-35, dated 29th June—2nd July 1936.

It is hereby notified for the information of the public that the following unserviceable jewels and nuggets of gold and silver belonging to Sri Singanagadde Basti Mutt at Narasimharajpura will be sold in public auction by the Treasury Assistant Commissioner, Kadur District, in the District Office premises at Chikmagalur on Wednesday, 5th August 1936 at 1 P.M., subject to the conditions scheduled herebelow :—

Conditions of Sale.

1. Each jewel or nugget will be sold to the highest bidder.
2. The full amount of the bid shall be paid by the highest bidder on the date of sale as soon as the sale is closed.